EDIC-mini Tiny model A22 1120/2240/4480/8960/17920/35840

Characteristics:

- Metallic case:
- Dimensions: 50x26x8 mm;
- Weight < 28 g (without a battery);
- Operating temperature range: 0...+40 °C (32...+104°F);
- Recording mode mono;
- Recording duration 600 hours;
- Built-in microphone's operating distance:
 7-9 meters (21-27ft);
- Battery life in record mode (sampling rate 8KHz, without compression): 90 hours;
- Battery life in record mode with VAS (audio signals below threshold): up to 300 hours;
- In stand-by mode: up to three years (up to 8 months);
- Power supply: rechargeable battery with 180 mA/hr capacity;
- Charging from USB computer port.

In Box:

- Recorder;
- USB cable;
- Software CD;
- Instructions.




Figure 1: Edic-mini Tiny model A22

Turning the Recorder on

After you set the power switch (7) into "ON" position, press the button (2). Keep it pressed for 2-3 seconds and then release. The recorder will start self testing. While self testing, the recorder LED will flash three times and after a pause the fourth time. The duration of the fourth flash can last for some seconds depending on the recorder's memory capacity. Charge the recorder's rechargeable battery before the usage.

Start/Stop Recording

To start/stop recording, keep the button pressed for 2 seconds while the LED does not signal. When the recorder starts/stops recording, the LED flashes five times.

While recording, the sequences of LED flashes show the charge of the battery (the first sequence: 1 flash – from 5% to 100%, 2 flashes – from 1% to 5%, and 3 flashes mean that the battery is almost discharged (it should be changed) and the second sequence shows the free memory capacity: 1 flash – 75%-100%, 2 flashes – from 50% to 75%, 3 flashes – from 25% to 50%, and 4 flashes – from 1% to 25%).

To evaluate the rechargeable battery life in different modes, use the data from the Table 1 (the data are for EDIC-mini Tiny A22-1120).

Table 1.

Compression	Without compression	Logarithmic ADPCM 2-bits	ADPCM 2-bits	ADPCM 4-bits
rate		Recording duration (hours)	ation (hours)	
5.5	105	94	90	83
8	06	22	71	09
11	29	09	57	99
16	23	45	45	41
22	45	36	33	33

Charging

The rechargeable battery's charging is automatic after connecting to a USB computer port. Full charging takes three hours. While charging, the recorder LED flashes with 5 second intervals. When the rechargeable battery is charged, the LED will flash without intervals.

Charge the rechargeable Li-ion battery every two months even if you do not use the recorder.

Designed and manufactured by the Telesystems Ltd.

The Manufactory Warranty Coupon

The manufacturer undertakes warranty repair liabilities for 1 year from the date of purchase, but no longer than 2 years from the date of manufacture of the product (warranty does not cover batteries). Paid repair is provided within recorder's operation lifetime (5 years). The manufacturer reserves the right to refuse in repair after the expiration of recorder operation life

This warranty is voided if the recorder is:

- improperly used
- mechanically damaged
- received without supplier warranty tag on this document

All questions regarding product exchange and return must be solved with the seller's company according to Protection of Consumers Law.

Edic-mini Tiny model A22 ☐ EM Tiny A22 - 1120 ☐ EM Tiny A22 - 2240 □ EM Tiny A22 - 4480 ☐ EM Tiny A22 - 8960 ☐ EM Tiny A22 - 17920 ☐ EM Tiny A22 - 35840 Number QC_____ Selling date Seller Address: TS-Market Ltd. Building 10/1 Sosnovaya Alleya, Zelenograd, Moscow, The

Tel: +7 (495) 638-8800; +7 (495) 651-91-51 (Cell) +7 (903) 530-10-01, +7 (909) 638-88-00 Fax: +7 (495) 535-0491

E-mail: support@ts-market.com http://www.ts-market.com